ICON GUIDE

TOILET & LAVATORY

16	1.0 GPF	Using only 1 gallon per flush, 1G toilets provide the most efficient flush in the industry.
0000	DYNAMAX TORNADO FLUSH*	Uses 100% of water to clean and rinse the bowl using a smaller amount of water more efficiently with a 2.5" trapway and quieter flush. Available in 1.0/.9 GPF or 1.28/.8 GPF.
000	TORNADO FLUSH®	A state-of-the-art, hole-free rim design that offers dual-nozzle bowl cleansing, creating a centrifugal rinsing action that cleans the bowl more efficiently.
000	3D TORNADO FLUSH®	Three powerful nozzles create a powerful centrifugal rinsing action and combines it with the conservation of 0.9 or 1.28 GPF.
D+	DUAL-MAX®	A dual flushing system that optimizes conservation by selecting the preferred flush volume.
E+	E-MAX*	High performance, high-efficiency flushing technology using only 1.28 GPF with a 3" wide flush valve, large trapway, and extra-large siphon jet.
G+	G-MAX*	A reliable flushing technology with 3" wide flush valve, large trapway, and extra-large siphon jet.
N	CEFIONTECT*	Ultra-smooth ceramic glaze leaves nowhere for waste to cling.
U	UNIVERSAL HEIGHT	Toilet height that allows for a more comfortable height position across a wide range of users.
SD	SKIRTED DESIGN	The trapway is concealed by smooth porcelain, making the toilet easier to clean.
	LINEARCERAM®	Material used for lavatories that achieves an extremely thin design yet two times as strong as standard fireclay.
	LUMINIST®	An epoxy resin material that combines the translucence of glass with exceptional impact and heat resistance.
\bigcirc	WATER SAVING	Water efficient toilets designed with 1.28 gallons per flush or less.
WASHL	ET®	
	тото. Washlėт	An electronic bidet seat featuring adjustable warm water cleansing, heated seat, dryer, deodorizer and much more.
	AIR-IN WONDER WAVE*	Air rich water droplets to produce a more comfortable washing sensation and deliver more thorough cleansing with less water consumption.
wası	ı∟ė́⊤₀井	WASHLET and toilet set with a concealed connection that is specially designed for a seamless installation.
	ACTILIGHT®	Special glaze combined with ultraviolet light work together to break down waste in the toilet bowl.
	EWATER+*	Mists the bowl with electrolyzed water, a proven disinfectant, keeping the wand and toilet bowl clean to reduce the need for harsh chemicals.
	PREMIST	Using the incoming water supply, PREMIST sprays the toilet bowl surface aiding in the elimination of waste approximately 80 percent better than a dry bowl.
\bigcirc	AUTO FLUSH	No need to touch buttons or handles and never worry about someone forgetting to flush — it's automatic after each use.
\bigcirc	AUTO OPEN / CLOSE LID	Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed.




CHART	EE PAGE 41						
CHART SEE PAGE 37 SEE PAGE 37 SEE PAGE 37 SEE PAGE 41 S SEE PAGE 37 SEE PAGE 37 SEE PAGE 41 S S REAR CLEANSE #01 #01 REAR CLEANSE FRONT CLEANSE • • VIDE FRONT CLEANSE • • • OSCILLATING CLEANSE • • • PULSATING CLEANSE • • • WATER PRESSURE CONTROL SETTINGS • WAND POSITION ADJUSTMENT AIR PURIFIER (DEODORIZER) • AIR DRYER • •	9						
Image: Second	E PAGE 41						
COLOR: #01 REAR CLEANSE #01 SOFT REAR CLEANSE SOFT REAR CLEANSE FRONT CLEANSE FRONT CLEANSE WIDE FRONT CLEANSE • OSCILLATING CLEANSE • PULSATING CLEANSE • INSTANTANEOUS WATER HEATING • WATER PRESSURE CONTROL 5 SETTINGS WAND POSITION ADJUSTMENT • AIR PURIFIER (DEODORIZER) • AIR DRYER •							
REAR CLEANSE SOFT REAR CLEANSE SOFT REAR CLEANSE FRONT CLEANSE WIDE FRONT CLEANSE OSCILLATING CLEANSE PULSATING CLEANSE INSTANTANEOUS WATER HEATING WATER PRESSURE CONTROL WATER TEMPERATURE CONTROL VWAND POSITION ADJUSTMENT AIR PURIFIER (DEODORIZER) AIR DRYER							
SOFT REAR CLEANSE FRONT CLEANSE WIDE FRONT CLEANSE OSCILLATING CLEANSE OSCILLATING CLEANSE PULSATING CLEANSE INSTANTANEOUS WATER HEATING WATER PRESSURE CONTROL WATER TEMPERATURE CONTROL WAND POSITION ADJUSTMENT AIR PURIFIER (DEODORIZER) AIR DRYER							
FRONT CLEANSE WIDE FRONT CLEANSE WIDE FRONT CLEANSE OSCILLATING CLEANSE PULSATING CLEANSE INSTANTANEOUS WATER HEATING WATER PRESSURE CONTROL WATER TEMPERATURE CONTROL WATER TEMPERATURE CONTROL WAND POSITION ADJUSTMENT AIR PURIFIER (DEODORIZER) AIR DRYER							
WIDE FRONT CLEANSE • OSCILLATING CLEANSE • PULSATING CLEANSE • INSTANTANEOUS WATER HEATING • WATER PRESSURE CONTROL • WATER TEMPERATURE CONTROL • WAND POSITION ADJUSTMENT • AIR PURIFIER (DEODORIZER) •							
Secure and the second and the secon							
INSTANTANEOUS WATER HEATING WATER PRESSURE CONTROL WATER TEMPERATURE CONTROL WAND POSITION ADJUSTMENT AIR PURIFIER (DEODORIZER) AIR DRYER							
INSTANTANEOUS WATER HEATING WATER PRESSURE CONTROL WATER TEMPERATURE CONTROL WAND POSITION ADJUSTMENT AIR PURIFIER (DEODORIZER) AIR DRYER							
WATER PRESSURE CONTROL 5 SETTINGS WATER TEMPERATURE CONTROL 5 SETTINGS WAND POSITION ADJUSTMENT • AIR PURIFIER (DEODORIZER) • AIR DRYER •							
WATER TEMPERATURE CONTROL 5 SETTINGS WAND POSITION ADJUSTMENT AIR PURIFIER (DEODORIZER) AIR DRYER •							
WAND POSITION ADJUSTMENT AIR PURIFIER (DEODORIZER) AIR DRYER							
AIR PURIFIER (DEODORIZER) AIR DRYER							
AIR DRYER							
AIR TEMPERATURE CONTROL 5 SETTINGS							
HEATED SEAT •							
HEATED SEAT 5 SETTINGS							
SoftClose® SEAT AND LID							
SEAT SENSOR							
AUTOMATIC OPEN AND CLOSE LID							
AUTOMATIC FLUSH							
NIGHT LIGHT							
REMOTE CONTROL							
REMOTE CONTROLLED SEAT							
REMOTE CONTROLLED FLUSH							
ACTILIGHT [®] - •	-						
€ CEFIONTECT®							
EWATER+*							
BOWL CLEANING MODE							
BOWL CLEANING MODE							
WAND CLEANING MODE							
SELF-CLEANING WAND							
FLUSHING TYPE TORNADO 3D TORNADO GALLONS PER FLUSH 1.0 & 0.8 GPF 1.28 & 0.9 GPF							
교장 GALLONS PER FLUSH 1.0 & 0.8 GPF 1.28 & 0.9 GPF							
ENERGY-SAVE TIMER 3, 6, 9 HOURS							
AUTO ENERGY SAVER							
ON / OFF BUTTON							
► INSTALLATION FLOOR MOUNT WALL-HUNG							
INSTALLATION FLOOR MOUNT WALL-HUNG							
UNIVERSAL HEIGHT							

	700H	AH	RH
MS993CUMFX	MS992CUMFG	MS989CUMFG	MS988CUMFG
SEE PAGE 43 #0	SEE PAGE 43	SEE PAGE 39 #0	SEE PAGE 39
		•	// #12
	5 SET	TINGS	
	5 SET	TINGS	
	5 SET	TINGS	-
		•	
•		-	
		•	
	TOR	JADO	
	1.0 & 0	.8 GPF	
	3, 6, 9	HOURS	
		•	-
	FLOOR	MOUNT	
		•	

		G400	S550e	S500e
		MS920CEMFG (elongated)	SW3056 (elongated) SW3054 (elongated classic)	SW3046 (elongated) SW3044 (elongated classic)
CHART	13014			
		SEE PAGE 56	SEE PAGE 57	SEE PAGE 57
	COLOR:	#01, #12	#01, #12	#01, #12
	REAR CLEANSE	•	•	•
	SOFT REAR CLEANSE	•	•	•
	FRONT CLEANSE	•	•	•
	WIDE FRONT CLEANSE	-	•	•
	OSCILLATING CLEANSE	•	•	•
CLEANSE	PULSATING CLEANSE	•	•	•
	INSTANTANEOUS WATER HEATING	-	•	•
	WATER PRESSURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WAND POSITION ADJUSTMENT	•	•	•
	AIR PURIFIER (DEODORIZER)	•	•	•
AIR	AIR DRYER	•	•	•
	AIR TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
	HEATED SEAT	•	•	•
SEAT	HEATED SEAT TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
	SoftClose® SEAT AND LID	•	•	•
	SEAT SENSOR	•	•	•
	AUTOMATIC OPEN AND CLOSE LID	•	•	-
SENSOR	AUTOMATIC FLUSH	•		-
	NIGHT LIGHT	-	•	-
	REMOTE CONTROL	•	•	•
REMOTE CONTROL	REMOTE CONTROLLED SEAT	•	•	-
	REMOTE CONTROLLED FLUSH	•		-
	REMOVABLE LID	•	•	•
	CEFIONTECT*	•	-	-
	BWATER+*	-	•	•
HYGIENE	PREMIST*	•	•	•
	WAND CLEANING MODE	•	•	•
	SELF-CLEANING WAND	•	•	•
	ENERGY-SAVE TIMER	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS
ENERGY SAVING	AUTO ENERGY SAVER	•	•	•
	ON / OFF BUTTON	•	•	•
wasнıе́т,+				

* WASHLET+ is a seat and toilet system specially designed to conceal the supply connections. Please refer to page 60 for more details.

S350e	S300e	C2	00	C100		A100	
SW583 (round)	SW573 (round)	SW2044 (elongated)	SW2043R (round)	SW2034 (elongated)	SW2033R (round)	SW2014 (elongated)	0
				-	3		ICONS
SEE PAGE 58	SEE PAGE 58	SEE PA	AGE 59	SEE PA	AGE 59	SEE PAGE 59	
#01, #12	#01, #12	#01	, #12	#01	, #12	#O1	CHARTS
•	•		•		•	٠	RTS
•	•		•		•	•	
•	•		•		•	•	
•	•		-		-	-	TEC
•	•		•		•	•	TECHNOLOGIES
•	•		•		-	-	
•	•		-		-	-	GIES
5 SETTINGS	5 SETTINGS	5 SET	TINGS	5 SET	TINGS	5 SETTINGS	
5 SETTINGS	5 SETTINGS	5 SET	TINGS	3 SETTINGS		3 SETTINGS	
•	•		•		•	•	Z
•	•		•		•	-	NEOREST
•	•		•		•	-	TS
5 SETTINGS	5 SETTINGS	5 SET	TINGS	3 SET	TINGS	-	
•	•		•		•	•	
5 SETTINGS	5 SETTINGS	5 SET	TINGS	3 SET	TINGS	3 SETTINGS	<
•	•		•		•	•	WASHLET
•	•		•		•	•	
•	-		-		-	-	
-	-		-		-	-	
•	-		-		-	-	>
•	•		•	SIDE F	PANEL	SIDE PANEL	WASHLET.
•	-		-	-		-	
-	-		-		-	-	+
•	•	-	•		•	•	
-	-		-		-	-	
•	•		-		-	-	ī
•	•	-	•		•	-	TOILETS
•	•		•		•	•	
•	•	-	•		•	•	
3, 6, 9 HOURS	3, 6, 9 HOURS		-		-	-	
•	•	-	•		•	•	LAVATORIES
•	•		-		-	-	
-	-		•		•	-	RES

				ELONGATED				
			S550E	\$500E	S350E			
		-						
			SW3056AT40 SW3054(A)T40	SW3046AT40 SW3044(A)T40	SW584T20			
COLOR			#O1	#O1	#O1			
	CONCEALED	SUPPLY CONNECTION	•	•	•			
	REAR CLEANS	ŝE	•	•	•			
	SOFT REAR C	LEANSE	•	•	•			
	FRONT CLEAN	√SE	•	•	•			
	WIDE FRONT	CLEANSE	•	•	•			
CLEANSE	OSCILLATING	CLEANSE	•	•	•			
	PULSATING CI	_EANSE	•	•	•			
	INSTANTANEC	DUS WATER HEATING	•	•	•			
	WATER PRESS	SURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS			
	WATER TEMP	ERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS			
	WAND POSITI	ON ADJUSTMENT	•	•	•			
	AIR PURIFIER	(DEODORIZER)	•	•	•			
AIR	AIR DRYER	· · · · · ·	•	•	•			
		TURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS			
	HEATED SEAT		•	•	•			
SEAT		TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS			
JEAT	SoftClose® SEA		•	•	•			
	SEAT SENSOR		•	•	•			
	AUTOMATIC OPEN AND CLOSE LID		•	- -	•			
SENSOR			•		•			
	AUTOMATIC F	LUSH			•			
	REMOTE CON		•		•			
		TROLED SEAT	•	•	•			
REMOTE CONTROL			•		•			
				_				
			•	•	•			
	EWATER+*		•	•	•			
HYGIENE	PREMIST®		•	•	•			
	WAND CLEAN		•	•	•			
	SELF-CLEANI			•	•			
ENERGY SAVING	ENERGY-SAVE		3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS			
ATED POWER USAGE	AUTO ENERG	Y SAVER	• 1288W	100714/	07514/			
				1287W	835W			
ENGTH OF POWER CORD		REAR	9.1 - 14.5 oz. / min.	Maximum length 4 ft. 9.1 ~ 14.5 oz. / min.	Maximum length 4 f 9.1 ~ 14.5 oz. / min.			
		SOFT	9.1 ~ 14.5 oz. / min. 10.8 ~ 14.5 oz. / min.	9.1 ~ 14.5 oz. / min. 10.8 ~ 14.5 oz. / min.	9.1 ~ 14.5 oz. / min. 10.8 ~ 14.5 oz. / min			
VAND FLOW RATE		FRONT	9.8 ~ 14.5 oz. / min.	9.8 ~ 14.5 oz. / min.	9.8 ~ 14.5 oz. / min			
		WATER TEMP	86°F ~ 104°F	86°F ~ 104°F	86°F ~ 104°F			
		AIR TEMP	95°F ~ 140°F	95°F ~ 140°F	95°F ~ 140°F			
DRYER		AIR VOLUME	10.24 ft3 / min.	10.24 ft3 / min.	10.24 ft3 / min.			
IEATED SEAT		SURFACE TEMP	82° F - 97° F	82° F - 97° F	82° F - 97° F			
VATER SUPPLY PRESSURE			7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi			
VATER SUPPLY TEMPERATU	RE		33°F to 95°F	33°F to 95°F	33°F to 95°F			
AMBIENT TEMPERATURE			33°F to 104°F	33°F to 104°F	33°F to 104°F			
		ELONGATED	15-5/16"W x 20-3/4"D x 3-15/16"H	15-5/16"W x 20-3/4"D x 3-15/16"H	15-5/16"W x 20-3/4"E 3-15/16"H			
SIZE		D-SHAPE	—	-				
	SQUARE							

	ELONGATED		D-SH	SQUARE SHAPE	
\$300E	C200	C100	C200	RX	SX
		A.			
SW574T20	SW2044T20	SW2034T20	SW2047T20	SW4047(A)T60	SW4049(A)T60
#O1	#01	#01	#01	#01	#O1
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•		_			
•	•	•	•	•	•
•	•	_	•	•	•
•		_	_	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	_	
5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS		
•	•	•	•	•	•
5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
•	•	•	•	•	•
•	•	•	•	•	•
		_			
		_		•	•
_		_			
•	•	SIDE PANEL	•	•	•
		_			
		_		_	
•	•	•	•		
•		_		•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
3, 6, 9 HOURS		_		_	_
•	•	•	•	•	•
835W	406W	406W	406W	1274W	1282W
Maximum length 4 ft.	Maximum length 3.94 ft.	Maximum length 3.94 ft.	Maximum length 3.94 ft.	Maximum length 2.95 ft.	Maximum length 2.95 ft.
9.1 ~ 14.5 oz. / min.	9.1 ~ 14.5 oz. / min.	9.1 ~ 14.5 oz. / min.	9.1 ~ 14.5 oz. / min.	9 ~ 14.1 oz. / min.	9 ~ 14.1 oz. / min.
10.8 ~ 14.5 oz. / min.	9.1 ~ 14.5 oz. / min.	9.1 ~ 14.5 oz. / min.	9.1 ~ 14.5 oz. / min.	9 ~ 14.1 oz. / min.	9 ~ 14.1 oz. / min.
9.8 ~ 14.5 oz. / min.	9.8 ~ 14.5 oz. / min.	9.8 ~ 14.5 oz. / min.	9.8 ~ 14.5 oz. / min.	10.2 ~ 14.1 oz. / min.	10.2 ~ 14.1 oz. / min.
86°F ~ 104°F	95°F ~ 104°F	95°F ~ 104°F	95°F ~ 104°F	95°F ~ 104°F	95°F ~ 104°F
95°F ~ 140°F	86°F ~ 140°F	86°F ~ 140°F	86°F ~ 140°F	E CE 447 /	
10.24 ft3 / min. 82° F - 97° F	9.54 ft3 / min. 82° F - 97° F	9.54 ft3 / min. 82° F - 97° F	9.54 ft3 / min. 82° F - 97° F	5.65 ft3 / min. 82° F - 97° F	5.65 ft3 / min. 82° F - 97° F
7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7.25 psi - 109 psi	7.25 psi - 109 psi
33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F	32°F to 95°F	32°F to 95°F
33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F	32 °F to 104 °F	32°F to 104°F
15-5/16"W x 20-3/4"D x	15-3/8"W x 20-7/8"D x	18-13/16"W x 20-7/8"D x			02 1 10 104 1
3-15/16″H	7-3/8"H	7-3/8"H			
			7-3/8"H	5-3/4"H	1E 1/4"\\\
	—	_	—		15-1/4"W x 22-13/16"D x 5-3/4"H

wasнlė́т_®+

		FLUCI	S550E	S500E				
	4010	FLUSH						
							SW3056AT40#01 SW3054AT40#01	SW3046AT40#01 SW3044AT40#01
	SHLET+ DILETS	MODEL NUMBER		EXTENSION ADAPTER	AUTO FLUSH KIT #	PAGE	KIT NU	MBERS
	AIMES®	CST626CEFGA	T40#01		THU767	64	MW6263056CEFGA#01	MW6263046CEFGA#01
	AQUIA*	CST646CUMFGA	AT40#01		THU765	62	MW6463056CUMFGA#01	MW6463046CUMFGA#01
ONE-	IV	CST646CEMFGA	AT40#01		THU765	62	MW6463056CEMFGA#01	MW6463046CEMFGA#01
PIECE	LEGATO*	CST624CEFGA	T40#01		THU767	65	MW6243056CEFGA#01	MW6243046CEFGA#01
	NEXUS*	CST642CUFGAT40#01			THU766	63	MW6423056CUFGA#01	MW6423046CUFGA#01
	NEXUS	CST642CEFGA	T40#01		THU767	63	MW6423056CEFGA#01	MW6423046CEFGA#01
		CT746CUFGT40#01	ST746UMA#01		THU765	71	MW7463056CUMFGA#01	MW7463046CUMFGA#01
		CT746CUGT40#01	ST746UMA#01		THU765	71	MW7463056CUMGA#01	MW7463046CUMGA#01
		CT746CUFGT40.10#01	ST746UMA#01		THU765	71	MW7463056CUMFGA.10#01	MW7463046CUMFGA.10#01
		CT746CUFGT40#01	ST746EMA#01		THU765	71	MW7463056CEMFGA#01	MW7463046CEMFGA#01
	DRAKE	CT746CUFGT40#01	ST746SMA#01		THU765	71	MW7463056CSMFGA#01	MW7463046CSMFGA#01
		CT746CUGT40#01	ST746EMA#01		THU765	71	MW7463056CEMGA#01	MW7463046CEMGA#01
		CT746CUGT40#01	ST746SMA#01		THU765	71	MW7463056CSMGA#01	MW7463046CSMGA#01
TWO- PIECE		CT746CUFGT40.10#01	ST746EMA#01		THU765	71	MW7463056CEMFGA.10#01	MW7463046CEMFGA.10#01
		CT746CUFGT40.10#01	ST746SMA#01		THU765	71	MW7463056CSMFGA.10#01	MW7463046CSMFGA.10#01
		CT446CUFGT40#01	ST446UMA#01	9AU321-A	THU765	73	MW4463056CUMFGA#01	MW4463046CUMFGA#01
		CT446CUFGT40#01	ST446EMA#01	9AU321-A	THU765	73	MW4463056CEMFGA#01	MW4463046CEMFGA#01
	AQUIA IV	CT446CUGT40#01	ST446UMA#01	9AU321-A	THU765	72	MW4463056CUMGA#01	MW4463046CUMGA#01
		CT446CUGT40#01	ST446EMA#01	9AU321-A	THU765	72	MW4463056CEMGA#01	MW4463046CEMGA#01
	NEXUS	CT442CUFGT40#01	ST442UA#01	9AU321-A	THU766	74	MW4423056CUFGA#01	MW4423046CUFGA#01
	NEA03	CT442CUFGT40#01	ST442EA#01	9AU321-A	THU767	74	MW4423056CEFGA#01	MW4423046CEFGA#01

WASHLET

					WASHLET					
					ELONGA	TED	D-SHAPE	SQUARE		
					S550E	S500E	RX	sx		
					SW3056AT40#01	SW3046AT40#01	SW4047AT60#01	SW4049AT60#01		
WASHLI TOILE		MODEL NUMBERS		PG.		KIT N	UMBERS			
	AP	CT426CFGT40#01	WT173MA	81	CWT4263056CMFGA#MS					
WALL	EP	CT428CFGT40#01	WT173MA	81	CWT4283056CMFGA#MS	_		_		
-HUNG	RP	CT447CFGT60#01	WT173MA	79		_	CWT4474047CMFGA#MS			
	SP	CT449CFGT60#01	WT173MA	79				CWT4494049CMFGA#MS		



NON AUTO FLUSH COMPATIBLE

WASHLET+ TOILETS

MODEL

NUMBERS

		WAS	HLET					
		ELONGATED						
		S550E	S500E					
		SW3056AT40#01 SW3054AT40#01	SW3046AT40#01 SW3044AT40#01					
EXTENSION ADAPTER	PG	KIT NU	MBERS					
	64	MW6263056CEFG#01	MW6263046CEFG#01					
	62	MW6463056CUMFG#01	MW6463046CUMFG#01					
	62	MW6463056CEMFG#01	MW6463046CEMFG#01					
	65	MW6243056CEFG#01	MW6243046CEFG#01					
	63	MW6423056CUFG#01	MW6423046CUFG#01					
	63	MW6423056CEFG#01	MW6423046CEFG#01					
	71	MW7463056CUMFG#01	MW7463046CUMFG#01					
	71	MW7463056CUMG#01	MW7463046CUMG#01					
	71	MW7463056CUMFG.10#01	MW7463046CUMFG.10#01					
	71	MW7463056CEMFG#01	MW7463046CEMFG#01					
	71	MW7463056CSMFG#01	MW7463046CSMFG#01					
	71	MW7463056CEMG#01	MW7463046CEMG#01					
	71	MW7463056CSMG#01	MW7463046CSMG#01					
	71	MW7463056CEMFG.10#01	MW7463046CEMFG.10#01					
	71	MW7463056CSMFG.10#01	MW7463046CSMFG.10#01					
9AU321-A	73	MW4463056CUMFG#01	MW4463046CUMFG#01					
9AU321-A	73	MW4463056CEMFG#01	MW4463046CEMFG#01					
9AU321-A	72	MW4463056CUMG#01	MW4463046CUMG#01					
9AU321-A	72	MW4463056CEMG#01	MW4463046CEMG#01					
9AU321-A	75	MW4943054CEMFG#01	MW4943044CEMFG#01					

		NOFIBERS		ADAFIER			
	AIMES®	CST626CEFGA	AT40#01		64	MW6263056CEFG#01	MW6263046CEFG#01
ONE- PIECE		CST646CUMFGAT40#01			62	MW6463056CUMFG#01	MW6463046CUMFG#01
	AQUIA® IV	CST646CEMFG	AT40#01		62	MW6463056CEMFG#01	MW6463046CEMFG#01
	LEGATO [®]	CST624CEFGA	AT40#01		65	MW6243056CEFG#01	MW6243046CEFG#01
		CST642CUFGA	AT40#01		63	MW6423056CUFG#01	MW6423046CUFG#01
	NEXUS®	CST642CEFGA	AT40#01		63	MW6423056CEFG#01	MW6423046CEFG#01
		CT746CUFGT40#01	ST746UMA#01		71	MW7463056CUMFG#01	MW7463046CUMFG#01
		CT746CUGT40#01	ST746UMA#01	—	71	MW7463056CUMG#01	MW7463046CUMG#01
	DRAKE	CT746CUFGT40.10#01	ST746UMA#01		71	MW7463056CUMFG.10#01	MW7463046CUMFG.10#01
		CT746CUFGT40#01	ST746EMA#01		71	MW7463056CEMFG#01	MW7463046CEMFG#01
		CT746CUFGT40#01	ST746SMA#01		71	MW7463056CSMFG#01	MW7463046CSMFG#01
		CT746CUGT40#01	ST746EMA#01		71	MW7463056CEMG#01	MW7463046CEMG#01
		CT746CUGT40#01	ST746SMA#01		71	MW7463056CSMG#01	MW7463046CSMG#01
TWO-		CT746CUFGT40.10#01	ST746EMA#01		71	MW7463056CEMFG.10#01	MW7463046CEMFG.10#01
PIECE		CT746CUFGT40.10#01	ST746SMA#01		71	MW7463056CSMFG.10#01	MW7463046CSMFG.10#01
		CT446CUFGT40#01	ST446UM#01	9AU321-A	73	MW4463056CUMFG#01	MW4463046CUMFG#01
	AQUIA IV	CT446CUFGT40#01	ST446EM#01	9AU321-A	73	MW4463056CEMFG#01	MW4463046CEMFG#01
		CT446CUGT40#01	ST446UM#01	9AU321-A	72	MW4463056CUMG#01	MW4463046CUMG#01
		CT446CUGT40#01	ST446EM#01	9AU321-A	72	MW4463056CEMG#01	MW4463046CEMG#01
	CONNELLY®	CT494CEFGT40#01	ST494M#01	9AU321-A	75	MW4943054CEMFG#01	MW4943044CEMFG#01
	NEXUS	CT442CUFGT40#01	ST442UA#01	9AU321-A	74	MW4423056CUFG#01	MW4423046CUFG#01
	NEX03	CT442CUFGT40#01	ST442EA#01	9AU321-A	74	MW4423056CEFG#01	MW4423046CEFG#01

WASHLET								
ELONGATED								
S350E S300E C200 C100								
\bigcirc	\bigcirc							
SW584T20#01	SW574T20#01	SW2044T20#01	SW2034T20#01					

	MODEL NUMBERS	PG	KIT NUMBERS					
	ULTRAMAX [®] II 1G [®]	CST604CUFGT20#01	67	MW604584CUFG#01	MW604574CUFG#01	MW6042044CUFG#01	MW6042034CUFG#01	
	ULTRAMAX II	CST604CEFGT20#01	67	MW604584CEFG#01	MW604574CEFG#01	MW6042044CEFG#01	MW6042034CEFG#01	
ONE-	CARLYLE® II 1G®	CST614CUFGT20#01	66	MW614584CUFG#01	MW614574CUFG#01	MW6142044CUFG#01	MW6142034CUFG#01	
PIECE	CARLYLE II	CST614CEFGT20#01	66	MW614584CEFG#01	MW614574CEFG#01	MW6142044CEFG#01	MW6142034CEFG#01	
	SUPREME* II	CST634CEFGT20#01	69	MW634584CEFG#01	MW634574CEFG#01	MW6342044CEFG#01	MW6342034CEFG#01	
	CAROLINA [®] II	CST644CEFGT20#01	68	MW644584CEFG#01	MW644574CEFG#01	MW6442044CEFG#01	MW6442034CEFG#01	
	DRAKE° II 1G°	C454CUFGT20#01 ST453U	77	MW454584CUFG#01	MW454574CUFG#01	MW4542044CUFG#01	MW4542034CUFG#01	
	DRAKE II	C454CEFGT20#01	77	MW454584CEFG#01	MW454574CEFG#01	MW4542044CEFG#01	MW4542034CEFG#01	
TWO-		ST454E						
PIECE	VESPIN° II 1G°	CT474CUFGT20#01	76	MW474584CUFG#01	MW474574CUEG#01	MW4742044CUEG#01	MW4742034CUEG#01	
		ST453U	/0		111111111111111111111111111111111111111		11111177200-001-0#01	
	VESPIN II	CT474CEFGT20#01	76	MW474584CEEG#01			MW4742034CFEG#01	
	VESPINII	ST454E	76	111114/4384CEFG#01	MW474574CEFG#01	MW4742044CEFG#01	141004742034CEFG#01	

п

		WASHLET		
ELON	IGATED	D-SHAPE	SQUARE	D SHAPE
S550E	S500E	RX	sx	C200
SW3056AT40#01	SW3046AT40#01	SW4047T60#01	SW4049T60#01	SW2047T20#01

WASHI		MODEL NUMBERS	PG.			KIT NUMBERS		
	мн	CT437FGT20#01	79					CWT4372047MFG#MS
		WT172M	/9	—				CW143/204/MPG#MI3
	AP	CT426CFGT40#01	81		CWT4263046CMFG#MS			
	AP	WT173M	01		CW14203040CMFG#143			
WALL	EP	CT428CFGT40#01	81		CWT4283046CMFG#MS			
-HUNG	CP	WT173M	01		CW14283040CMFG#M3		_	
	RP	CT447CFGT60#01	79			CWT4474047CMFG#MS		
	RP	WT173M	/9			CW144/404/CMFG#MS		
	SP	CT449CFGT60#01	79		_		CWT4494049CMFG#MS	
	SP	WT173M	/9				CVV14494049CMFG#MS	

TOTO CLEANOVATION

Clean gives peace of mind Clean makes life beautiful Clean feels refreshing Clean is caring for people and the planet Clean brings wellness to everyday life

TOTO innovation brings a new world of clean to life, enriching every moment of every day.



PREVENTS the accumulation of waste on WAND

CLEAN SYNERGY

Your toilet reappears clean every time

6

PREMIST

PREVENTS waste from CLINGING



EWATER+ For BOWL

PREVENTS the accumulation of waste on BOWL



CEFIONTECT®

FORCES waste to SLIDE DOWN



TORNADO FLUSH®

SWIRLS and EJECTS waste entirely



Prevents the accumulation of waste on bowl.

Electrolyzed water reduces waste and dirt you can't see.

EWATER+®

WASHES THE WAND AND TOILET BOWL WHERE WASTE TENDS TO ACCUMULATE AND PRODUCE STAINS THAT CAN BECOME PERMENANT.

Using no chemicals or cleaning agents, EWATER+ provides peace of mind every day that microscopic waste has no place to hide.



PREMIST, a fine mist of ordinary water, is sprayed inside the toilet

Since waste is less able to adhere to a wet surface, it is more easily washed away

EWATER+ is applied to cleanse the wand and toilet bowl and remove

EWATER+ is automatically sprayed 8 hours after the last use

What is EWATER+?

Produced by electrolysis of the chloride ion in tap water. It is completely free of chemicals and cleaning agents. Over time, EWATER+ returns to its original state of ordinary water, making it completely environmentally friendly.

waste





EWATER+

Time passes

Returns to ordinary water













Chloride ion

Water containing hypochlorous acid

VEOREST

CLEAN SYNERGY



Prevents the accumulation of waste on wand.

The wand washes itself inside and out with EWATER+ to maintain hygienic conditions.

EWATER+[®] BEFORE AND AFTER EACH USE, THE WAND AUTOMATICALLY WASHES ITSELF WITH EWATER+.

This thorough cleaning occurs inside the wand as well as all around the exterior. Even when the toilet is not being used, the wand periodically cleans itself to ensure constant hygienic conditions.



Self-Cleaning Inside the Mechanism



Self-cleans with water

Self-cleans with water



out with EWATER+



with EWATER+

Always Keeping Conditions Clean

Made of high-quality, waste-resistant resin and automatically sprayed with EWATER+ after each use, the wand is extremely resistant to waste and stains. What's more, the wand attaches to the seat, not the bowl, so waste is less likely to even reach it. Though the wand is self-cleaning, you will appreciate how easily you can reach it and wipe it spotless.



WATER AREA

LAVATORIES

CLEAN SYNERGY



Forces waste to slide down.

Ultra-smooth ceramic leaves nowhere for waste to cling.





Prevents waste from clinging.

A film of water keeps waste from clinging.

CEFIONTECT® IS AN ULTRA-SMOOTH CERAMIC GLAZE THAT COATS THE TOILET BOWL.

Its microscopic surface ridges are far smaller than waste particles, leaving no place for waste to gain a foothold. Extremely durable, CEFIONTECT is designed for enduring beauty and cleanliness.



What makes CEFIONTECT so durable?


Glass layers are burned onto conventional glaze, making CEFIONTECT an extremely durable material.

Eliminating the microscopic gaps where waste hides


Conventional ceramic may appear perfectly smooth to the eyes, but has gaps where waste, mold and bacteria hide. At just one millionth of a millimeter, CEFIONTECTS's surface ridges are much tinier than waste particles.

Water has a strong affinity to CEFIONTECT

Hydrophilic describes organisms and materials that attract water. CEFIONTECT is hydrophilic. Water spreads easily over the toilet bowl, so waste particles easily wash away.



CEFIONTECT toilet micrograph *1Qm=0.001mm





Water hydrophobic


Water hydrophillic





To ensure waste washes away easily, a film of water keeps waste from clinging to the toilet bowl.

PREMIST automatically sprays water over the surface of the inner toilet bowl before every use. Due to the ceramic's hydrophilic nature, waste washes away more easily.



CLEAN SYNERGY



Swirls and ejects waste entirely.

360° cleaning power reaches every spot using less water.

DYNAMAX TORNADO FLUSH®

USES 100% OF WATER TO CLEAN AND RINSE BOWL.



DYNAMAX combines powerful bowl cleaning and waste evacuation using water that is 100% projected from the rim creating 360° cleaning power. Using only 1.0/0.8 or 1.28/0.8 gallons per flush, coupled with a 25% larger trapway diameter, this high-efficiency system uses 20% less water with improved performance while also creating a quieter flush. With a modern rimless design, it performs more consistently and is easy to clean.

TORNADO FLUSH® NOT ONLY CLEANS MORE EFFECTIVELY, IT DOES SO QUIETLY USING LESS WATER.

Powerful streams of water merge and swirl 360 degrees, washing every spot inside the RIMLESS toilet bowl.



Powerful washing where waste accumulates most easily

TORNADO FLUSH's dynamic waterjet discharges from near the front of the toilet bowl, travels in a narrow channel along a hairpin curve, and with sustained water pressure thoroughly cleanses the areas where waste accumulates most easily - and then washes the entire bowl clean. Exquisitely high-quality ceramic makes this innovative design possible.



The RIMLESS design not only leaves no place for waste and germs to hide, it also makes for a much easier to clean toilet.





ACTILIGHT®

Photocatalytic glaze, the ultimate cleaning technology, has the natural power to decompose waste.

Ultraviolet light

U I


T

Photocatalytic glaze

ACTILIGHT[®] elevates toilet cleaning to an extraordinary new dimension. With ultraviolet light and a titanium dioxide-fired toilet bowl, this extraordinary technology initiates a photocatalytic process that breaks down even microscopic waste particles.


State-of-the-art materials

Titanium dioxide attracts water to the surface of the toilet bowl, setting the stage for photocatalysis. The toilet bowl's photocatalytic glaze also contains zirconium oxide, which provides its extreme durability.



Operates 24 hours a day to maintain hygienic conditions

The photocatalytic process with UV light and titanium dioxide produces activated oxygen from the ambient oxygen and water molecules, which further breaks down organic waste and reduces the food source that microbes feed on.



NEOREST

NEOREST 750H NEOREST 700H

NEOREST® NX2 NEOREST NX1

NEOREST AC® NEOREST EW®

Citize.

NEOREST AH

NEOREST

Every moment of every day, enjoy the cleanliness and comforts of Life Anew.

Constantly at work, automated technologies keep surfaces hygienic and maintain a place that is inviting and comfortable to use.

Cycle of Cleanliness and Comfort





AUTO OPEN LID

HEATED SEAT "ON"

PREMIST



7

DEODORIZER

 \bigcirc

SELF-CLEANING WAND

EWATER+ BOWL & WAND)

> SOFT LIGHT "OFF"

AUTO CLOSE LID

HEATED SEAT "OFF"



1

AUTO FLUSH

EWATER+ (BOWL & WAND)

NEOREST. FEATURES

SoftClose® LID

The SoftClose lid automatically closes gently to eliminate seat slamming.

HEATED SEAT

The contoured seat has five temperature settings for maximum comfort.

SELF-CLEANING WAND

The self-cleaning function cleans the entire wand with EWATER+ before and after each use.

ACTILIGHT®

Uses a special photocatalytic glaze and an ultraviolet light inside the lid to get rid of both visible and invisible waste. Available on NEOREST models NX2, AC, and 750H.

Using the incoming water supply, PREMIST wets the toilet bowl surface aiding in the elimination of waste approximately 80% better than a dry bowl.

EWATER+®

After each use, EWATER+ sprays the bowl with electrolyzed water, reducing the need for harsh cleaning chemicals.

DRYER

....

Enjoy the ease and comfort of drying with the temperatureadjustable warm-air dryer.

NEOREST

AUTOMATIC DEODORIZER

The deodorizer cleans the air around the toilet using powerful filters. Air is drawn in, passing through an ionized carbon filter to eliminate unpleasant odors.



NEOREST® NX1; MS900CUMFG

NEOREST NX2 MS901CUMFX (With ACTILIGHT)



Remote (Top View)

NEOREST. NX1 MS900CUMFG



reddot award 2018 winner



Remote (Front View) 0 0 VIV E + B

Remote (Top View)



- ACTILIGHT[®] UV light cleaning system built in lid (NEOREST NX2 only)
- TORNADO FLUSH[®] system, ultra-high efficiency .
- Dual flush function (1.0 GPF/3.8 LPF and 0.8 GPF/3.0 LPF)
- CEFIONTECT[®] ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET[®] with three wash modes (front, rear, soft)
- Skirted Design Concealed trapway for easy cleaning . Auto open/close lid, auto flush .
- EWATER+[®] Electrolyzed water that sanitizes toilet bowl and wand
- PREMIST[®] of bowl before each use
- Universal Height
- ADA compliant
- Meets WaterSense efficiency and performance standards

ICONS



.

NEOREST AH; MS989CUMFG



· ₩,4,-----

ĺ8

NEOREST. AH MS989CUMFG





•	¥ +	4 -	- •	• •	8 8	-	TOTO
		Rem	note	(Fro	ont V	iew)	
	10	GIN.	1	4	G		







 TT		T				TOP
	Ren	note	e (Fro	ont \	/iew)	
	AIN	12	*	8	100	





- CEFIONTECT[®] ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+® Electrolyzed water that sanitizes toilet bowl and wand
- PREMIST[®] of bowl before each use
- Meets WaterSense efficiency and performance standards
- Universal Height
- ADA compliant



#12 Sedona Beige

20

NEOREST AC*; CWT996CEMFX


NEOREST.



· · · · · ·

Remote (Front View)

Remote (Top View)



- (1.28 GPF/4.8 LPF and 0.9 GPF/3.4 LPF)
 CEFIONTECT[®] ceramic glaze minimizes debris and molc
- from sticking to porous, ceramic surfaces
- WASHLET[®] with three wash modes (front, rear, soft)
- Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+[®] Electrolyzed water that sanitizes toilet bowl and wand
- PREMIST[®] of bowl before each use
- Universal Height
- ADA compliant
- Meets WaterSense efficiency and performance standards

*ACTILIGHT only available on NEOREST AC

AVAILABLE COLOR #01 Cotton

n

ICONS

CHARTS

WASHLET+

NEOREST IN-WALL TANK UNIT - 1.28/0.9 GPF WT174M (Copper supply line)

2" x 6" installation 2" x 4" outlet kit available Push plates sold separately





PUSH PLATE YT994#WH Glass/White plastic



- 9

NEOREST 750H; MS993CUMFX

NEOREST. 750H MS993CUMFX (With Actilight)

NEOREST. 700H MS992CUMFG

Remote (Top View)



Remote Cront View)

Remote (Top View)



- ACTILIGHT[®] UV light cleaning system built in lid (NEOREST 750H only)
- TORNADO FLUSH[®] system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CEFIONTECT[®] ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
 - WASHLET® with three wash modes (front, rear, soft)
- Skirted Design Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+[®] Electrolyzed water that sanitizes toilet bowl and wand
- PREMIST[®] of bowl before each use
- Universal Height
- ADA compliant
- Meets WaterSense efficiency and performance standards

ICONS



NEOREST. REMOTE CONTROL STAND

8 8

τοτο



NEOREST REMOTE CONTROL STAND /S990

MEOREST. YS990

- Versatile design with removable remote control plate for a stand alone toilet paper holder
- · Solid brass construction weighing 22 lbs.
- Designed to hold two rolls of toilet paper and one remote control
- · Remote control not included










NEOREST.

NX2, NX1, AH, & RH models





PULSATE



*1.0 GPF available on NEOREST NX2, NX1, 750H, and 700H 1.28 GPF available on NEOREST AC and EW

NEOREST. AC[®], EW[®], 750H, & 700H models





NEOREST

ICONS

CHARTS

TECHNOLOGIES

INTERFACE OF THE REMOTE CONTROL IS SUBJECT TO CHANGE. NashLer

000

тото: washlet

AUTOMATION THAT KEEPS YOU CLEAN AND COMFORTABLE

WASHLET[®] is an electronic bidet seat that cleanses you with warm water and provides an exceptionally clean feeling. With the touch of a button, the self-cleaning wand extends from under the seat to deliver soothing warm water. The wand is fully adjustable, allowing users to set the precise temperature and spray type.

Instead of traditional toilet paper that can sometimes be rough, WASHLET quickly provides comfortable warm water cleansing, heated seat, PREMIST, dryer, and automated technology.

A once mundane trip to the bathroom can become a spa-like experience with WASHLET.





TOTO . WASHLET CLEANSING FUNCTIONS

WIDE FRONT SPRAY

REAR SOFT SPRAY

REAR SPRAY

FRONT SPRAY




CLEANSING FUNCTIONS

WITH THE TOUCH OF A BUTTON, A WAND EXTENDS FROM UNDER THE SEAT FOR SOOTHING WARM-WATER CLEANSING.

How WASHLET® works

AIR-IN WONDER-WAVE® technology is the precise, pleasant, air rich stream that keeps you clean. As water is fired at different speeds, small droplets collide with larger ones, combining and expanding as the droplets fill with more air. The injection of air enlarges water droplets by around 30%.



Select the type of cleansing you desire each time.

....



REAR SPRAY

The rear spray is designed to clean the rear intimate area. It features pleasant, yet strong water pressure to target this specific area.

REAR SOFT SPRAY

It has a larger radius to cover more area. Lower water pressure makes for a soft, comfortable spray.

FRONT SPRAY

The front wash consists of large, soft drops for comfortable intimate cleansing – for a clean, fresh feeling.


WIDE FRONT SPRAY

It has a larger radius to cover more area. Lower water pressure makes for a soft, comfortable spray.

HOW THE REMOTE CONTROL WORKS


Easy and Convenient to Use.

WASHLET® S550e & S500e models



Interface of the remote control is subject to change. Bracket available for wall-mounting.

WASHLET® S350e, S300e, & C200 models



*FRONT WIDE ON/OFF function only available on S350e/S300e

WASHLET® TECHNOLOGIES

For greater performance and hygiene in the bathroom.

WASHLET is complete with functions designed for both comfort and hygiene, turning a mundane trip to the bathroom into a hygienic, spa-like experience.




No need to touch buttons or handles and never worry about someone forgetting to flush — it's automatic after each use

*Auto Flush models only




The wand washes itself inside and out with EWATER+ to maintain hygienic conditions.



Using the incoming water supply, PREMIST wets the toilet bowl surface aiding in the elimination of waste approximately 80% better than a dry bowl.

*Not available on A100




Deodorizing automatically takes places inside the toilet bowl both during and immediately after use, leaving no disturbing odors.

*Not available on A100




The moment you approach the toilet, the seat begins rapidly warming to a comfortable temperature.



Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed.

*S550e and S350e only



Enjoy the ease and comfort of drying with the temperature-adjustable warm-air dryer. *Not available on A100



WASHLET* G400 WITH INTEGRATED TOILET MS920CEMFG (elongated)





- 3D TORNADO FLUSH[®] system
- Dual flush option
- CEFIONTECT[®] ceramic glaze
- · Sleek, full skirted one-piece
- Elongated front bowl
- 12" rough-in
- Mounting and connection hardware included
- Universal height
- ADA compliant
- PREMIST[®] of bowl before each use
- WASHLET® cleansing with 5 water pressure settings
- Front and rear cleanse
- · Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- · Built-in air deodorizing system
- Auto open/close lid
- Hands-free automatic flush
- Meets WaterSense efficiency and performance standards



WASHLET® S550E / S500E

CONTEMPORARY SW3056 (elongated) SW3046 (elongated)





- Elongated front WASHLET toilet seat with cover
- EWATER+® on wand and bowl
- PREMIST[®] of bowl before each use
- Auto open/close lid (Only WASHLET S550e)
- Remote control operated
- Front and rear warm water washing with adjustable temperature and pressure controls
- Heated seat with temperature control
- Automatic air deodorizer
- Warm air dryer
- Illuminated touch pad
- 2 user memory
- Night light (Only WASHLET S550e)
- SoftClose® Seat
- Quick release feature
- Mounting and connection hardware included

WASHLET

S550E / S500E CLASSIC SW3054 (elongated) SW3044 (elongated)



- Elongated front WASHLET toilet seat with cover .
- EWATER+ on wand and bowl
- PREMIST of bowl before each use
- Auto open/close lid (Only WASHLET S550e)
- Remote control operated
- Front and rear warm water washing with adjustable temperature and pressure controls
- Heated seat with temperature control
- Automatic air deodorizer
- Warm air dryer
- Illuminated touch pad
- 2 user memory
- Night light (Only WASHLET S550e) SoftClose Seat
- Quick release feature
- Mounting and connection hardware included

WASHLET

ICONS

CHARTS

TECHNOLOGIES

NEOREST



WASHLET® S350E SW583 (round)





- WASHLET[®] cleansing with 5 water pressure settings
- EWATER+[®] technology
- PREMIST[®] of bowl before each use
- Front and rear cleanse
- SoftClose[®] seat
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Instantaneous water heating
- · 2 user memory
- Quick release feature
- Auto open/close lid
- Night light

WASHLET S300E SW573 (round)





- EWATER+ technology
- PREMIST of bowl before each use
- Front and rear cleanse
- SoftClose seat
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Instantaneous water heating
- 2 user memory
- · Quick release feature



WASHLET* C200 SW2044 (elongated) SW2043R (round)





- Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- PREMIST[®] of bowl before each use
- Front and rear cleanse
- SoftClose[®] seat
- Adjustable water temperature and pressure
- Warm air drying with five variable temperature settings
- Built-in air deodorizer
- Wireless remote with touch pad
- 2 user settings
- Adjustable seat temperature

WASHLET

A100 SW2014 (elongated)





- Gentle aerated, warm water, dual action spray with oscillating feature
- Front and rear cleanse
- SoftClose seat
- Adjustable water temperature and pressure
- Adjustable seat temperature
- Available only in #01 Cotton



WASHLET C100 SW2034 (elongated) SW2033R (round)





- Gentle aerated, warm water, dual action spray with oscillating feature
- PREMIST of bowl before each use
- Front and rear cleanse
- SoftClose seat
- Adjustable water temperature and pressure
- Warm air drying with five variable temperature settings
- Built-in air deodorizer
- Adjustable seat temperature

ICONS

CHARTS

TECHNOLOGIES

NEOREST

wasнlė́т_®+

INTRODUCING A NEW SERIES OF WASHLET+ TOILET AND SEAT SETS.




THE NEW STANDARD OF COMFORT AND CLEANLINESS FOR DAILY LIFE.

Designed for every home, WASHLET®+ is the smart way to introduce the comfort and cleanliness of TOTO technology into your life. Each unit is harmoniously designed with a concealed connection - no visible hoses or cords - making the bathroom a most inviting space. A wide range of sets are available for you to discover.

HOW IT WORKS

WASHLET+ offers a concealed supply connection for seamless installation.







COMPATIBLE OPTIONS

AQUIA IV WASHLET+ with S550e

MW6463056CUMFG(A)#01 - 1.0 GPF / 0.8 GPF MW6463056CEMFG(A)#01 - 1.28 GPF / 0.8 GPF

MW6463046CUMFG(A)#01 - 1.0 GPF / 0.8 GPF MW6463046CEMFG(A)#01 - 1.28 GPF / 0.8 GPF AQUIA IV WASHLET+ with S500e





WASHLET®+ ONE-PIECE TOILETS



*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW6423056CUFG(A)#01 - 1.0 GPF MW6423056CEFG(A)#01 - 1.28 GPF NEXUS WASHLET+ with S550e





MW6423046CUFG(A)#01 - 1.0 GPF MW6423046CEFG(A)#01 - 1.28 GPF NEXUS WASHLET+ with S500e







MW6263056CEFG(A)#01 - 1.28 GPF AIMES WASHLET+ with S550e

MW6263046CEFG(A)#01 - 1.28 GPF AIMES WASHLET+ with S500e





AIMES[®] WASHLET+

*(A) indicates toilet is auto flush compatible.

LEGATO® WASHLET+ 🗑 🜔 🗞 🕹 🗐 🕕 🐼 📥 CAL Green

1

*(A) indicates toilet is auto flush compatible.



MW6243046CEFG(A)#01 - 1.28 GPF

LEGATO WASHLET+ with S500e



MW6243056CEFG(A)#01 - 1.28 GPF LEGATO WASHLET+ with S550e

COMPATIBLE OPTIONS




MW6142034CUFG#01 - 1.0 GPF MW6142034CEFG#01 - 1.28 GPF CARLYLE II WASHLET+ with C100



MW6142044CUFG#01 - 1.0 GPF MW6142044CEFG#01 - 1.28 GPF CARLYLE II WASHLET+ with C200



CARLYLE II WASHLET+ with S300e





MW614584CEFG#01 - 1.28 GPF CARLYLE II WASHLET+ with S350e

MW614584CUFG#01 - 1.0 GPF

COMPATIBLE OPTIONS



CARLYLE® II WASHLET+

WASHLET®+ ONE-PIECE TOILETS



CHARTS

WASHLET®+ **ONE-PIECE TOILETS**

ULTRAMAX® II WASHLET+



MW604574CUFG#01 - 1.0 GPF MW604574CEFG#01 - 1.28 GPF

MW6042044CUFG#01 - 1.0 GPF MW6042044CEFG#01 - 1.28 GPF ULTRAMAX II WASHLET+ with C200

MW6042034CUFG#01 - 1.0 GPF MW6042034CEFG#01 - 1.28 GPF ULTRAMAX II WASHLET+ with C100

ULTRAMAX II WASHLET+ with S300e

COMPATIBLE OPTIONS





MW6442034CEFG#01 - 1.28 GPF CAROLINA II WASHLET+ with C100



MW6442044CEFG#01 - 1.28 GPF CAROLINA II WASHLET+ with C200



MW644574CEFG#01 - 1.28 GPF CAROLINA II WASHLET+ with S300e

COMPATIBLE OPTIONS

MW644584CEFG#01 - 1.28 GPF CAROLINA II WASHLET+ with S350e



CAROLINA® II WASHLET+

WASHLET®+ ONE-PIECE TOILETS



ICONS



MW6342034CEFG#01 - 1.28 GPF SUPREME II WASHLET+ with C100



MW6342044CEFG#01 - 1.28 GPF SUPREME II WASHLET+ with C200



MW634574CEFG#01 - 1.28 GPF SUPREME II WASHLET+ with S300e



MW634584CEFG#01 - 1.28 GPF SUPREME II WASHLET+ with S350e

COMPATIBLE OPTIONS



SUPREME® II WASHLET+ 🗑 🜔 🗞 🕹 🕕 🐼 📥 CAL Green

WASHLET[®]+ **ONE-PIECE TOILETS**



NEW

DRAKE WASHLET+ (Universal Height)





*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW7463056CUM(F)G(A)#01 - 1.0 GPF / 0.8 GPF MW7463056CEM(F)G(A)#01 - 1.28 GPF / 0.8 GPF MW7463056CSM(F)G(A)#01 - 1.6 GPF / 0.8 GPF DRAKE WASHLET+ with S550e





MW7463046CUM(F)G(A)#01 - 1.0 GPF / 0.8 GPF MW7463046CEM(F)G(A)#01 - 1.28 GPF / 0.8 GPF MW7463046CSM(F)G(A)#01 - 1.6 GPF / 0.8 GPF DRAKE WASHLET+ with S500e

For more information on dimensions please refer to product spec sheet.



LAVATORIES

CHARTS

AQUIA® IV WASHLET+ 16 🜔 🜍 🗞 🖻 🐼 📥 CAL Green



*(A) indicates toilet is auto flush compatible.



MW4463056CUMG(A)#01 - 1.0 GPF / 0.8 GPF MW4463056CEMG(A)#01 - 1.28 GPF / 0.8 GPF AQUIA IV WASHLET+ with S550e





MW4463046CUMG(A)#01 - 1.0 GPF / 0.8 GPF MW4463046CEMG(A)#01 - 1.28 GPF / 0.8 GPF AQUIA IV WASHLET+ with S500e









AQUIA® IV WASHLET+ (Universal Height)





*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW4463056CUMFG(A)#01 - 1.0 GPF / 0.8 GPF MW4463056CEMFG(A)#01 - 1.28 GPF / 0.8 GPF AQUIA IV WASHLET+ with S550e






MW4463046CUMFG(A)#01 - 1.0 GPF / 0.8 GPF MW4463046CEMFG(A)#01 - 1.28 GPF / 0.8 GPF AQUIA IV WASHLET+ with S500e

















MW4423046CUFG(A)#01 - 1.0 GPF MW4423046CEFG(A)#01 - 1.28 GPF NEXUS WASHLET+ with S500e



MW4423056CUFG(A)#01 - 1.0 GPF MW4423056CEFG(A)#01 - 1.28 GPF NEXUS WASHLET+ with S550e

COMPATIBLE OPTIONS







MW4943044CEMFG#01 - 1.28 GPF / 0.8 GPF CONNELLY WASHLET+ with S500e



MW4943054CEMFG#01 - 1.28 GPF / 0.8 GPF CONNELLY WASHLET+ with S550e

COMPATIBLE OPTIONS

WASHLET[®]+ TWO-PIECE TOILETS

CONNELLY® WASHLET+ 🗑 🜔 🗞 🕹 🗐 🕕 🚳 📥 CAL Green



VESPIN II WASHLET

MW4742034CUFG#01 - 1.0 GPF MW4742034CEFG#01- 1.28 GPF VESPIN II WASHLET+ with C100



MW4742044CUFG#01 - 1.0 GPF MW4742044CEFG#01 - 1.28 GPF VESPIN II WASHLET+ with C200



VESPIN II WASHLET+ with

MW474574CUFG#01 - 1.0 GPF MW474574CEFG#01 - 1.28 GPF VESPIN II WASHLET+ with S300e



MW474584CUFG#01 - 1.0 GPF MW474584CEFG#01 - 1.28 GPF VESPIN II WASHLET+ with S350e

COMPATIBLE OPTIONS



WASHLET®+ TWO-PIECE TOILETS







NEOREST



ICONS

WASHLET®+ TWO-PIECE TOILETS

DRAKE® II WASHLET+

19 🜔 🗑 🗞 🕹 🕕 🐼 📥 CAL Green

MW4542034CUFG#01 - 1.0 GPF MW4542034CEFG#01- 1.28 GPF DRAKE II WASHLET+ with C100



MW4542044CUFG#01 - 1.0 GPF MW4542044CEFG#01 - 1.28 GPF DRAKE II WASHLET+ with C200



MW454574CUFG#01 - 1.0 GPF MW454574CEFG#01 - 1.28 GPF DRAKE II WASHLET+ with S300e



MW454584CUFG#01 - 1.0 GPF MW454584CEFG#01 - 1.28 GPF DRAKE II WASHLET+ with S350e

COMPATIBLE OPTIONS



SP WASHLET+ SX WALL-HUNG TOILET

<u> 1</u>

WASHLET®+ WALL-HUNG TOILETS



CWT4474047CMFG(A)#MS 1.28 GPF / 0.9 GPF RP WASHLET+ with RX



*Requires WT173M(A) In-Wall Tank System and Push Plate CWT4494049CMFG(A)#MS 1.28 GPF / 0.9 GPF SP WASHLET+ with SX



*Requires WT173M(A) In-Wall Tank System and Push Plate





CWT4372047MFG#MS 1.28 GPF / 0.9 GPF MH WASHLET+ with C200 () () () () ()



*Requires WT172M In-Wall Tank System and Push Plate

WASHLET+ WALL-HUNG COMPONENTS

DUOFIT® IN-WALL TANK SYSTEM - 1.28/0.9 GPF WT172M (Exposed Water Outlet) WT173M(A) (Hidden Water Outlet) 2' x 6' installation 2' x 4' outlet kit available Push plates sold separately





PUSH PLATE YT920#MS Matte Silver



PUSH PLATE YT920#WH White Matte



PUSH PLATE YT930#MS Matte Silver



PUSH PLATE YT930#WH White Matte



PUSH PLATE YT970#SS Stainless Steel



PUSH PLATE YT980#SS Stainless Steel



ICONS



WASHLET[®]+ WALL-HUNG TOILETS

🜔 🗑 📎 😏 🕕 🐼 📥 CAL Green

CWT4263056CMFGA#MS - 1.28 GPF / 0.9 GPF

CWT4263046CMFG#MS - 1.28 GPF / 0.9 GPF

NEW

AP WASHLET+

AP WASHLET+ with S550e

AP WASHLET+ with S500e

CWT4283046CMFG#MS - 1.28 GPF / 0.9 GPF EP WASHLET+ with S500e

EP WASHLET+ with S550e

🜔 🗑 📎 🗊 🕕 💿 📥 🖍 CAL Green

CWT4283056CMFGA#MS - 1.28 GPF / 0.9 GPF

NEW

EP WASHLET+

*Requires In-Wall Tank System and Push Plate

WASHLET[®]+ WALL-HUNG COMPONENTS

DUOFIT® IN-WALL TANK SYSTEM - 1.28/0.9 GPF WT172M (Exposed Water Outlet) WT173M(A) (Hidden Water Outlet) 2" x 6" installation 2" x 4" outlet kit available Push plates sold separately







PUSH PLATE

YT920#MS

PUSH PLATE YT920#WH White Matte



PUSH PLATE YT930#MS

*Requires In-Wall Tank System and Push Plate



PUSH PLATE YT930#WH



PUSH PLATE YT970#SS Stainless Stee



PUSH PLATE YT980#SS Stainless Steel



ICONS

CHARTS

TECHNOLOGIES

WASHLET



TOILET TECHNOLOGIES

Our 1G toilets offer substantial water savings without wavering on our renowned performance. Using our powerful — yet surprisingly quiet — gravity-fed, hole-free rim TORNADO FLUSH® technology, 1G fully evacuates the bowl with an ultra-efficient one gallon of water. Combined with the extraordinarily smooth CEFIONTECT® glaze that prevents particulates from adhering to porous, ceramic surfaces every inch of your bowl stays cleaner, longer.



TOTO[®] 1G TOILETS STANDARD 1.6 GPF TOILETS

5,840 GALLONS Used in Flushing \$175 Operation PER YEAR



TOTO

\$280 Operation Cost



*The average American flushes five times a day at home. Assuming an average household of 3.2 people over 365 days @ 3¢ per gallon.

ONE-PIECE TORNADO FLUSH TOILETS

AQUIA® IV

MS646124CUMF(G) (Elongated) - 1.0 GPF MS646124CEMF(G) (Elongated) - 1.28 GPF SS124 seat included





AQUIA[®] IV

NEXUS®

SS234 seat included

Available in #01 only

LEGATO®

SS124 seat included

*MS646234CUMFG (Elongated) - 1.0 GPF *MS646234CEMFG (Elongated) - 1.28 GPF SS234 seat included Available in #01 only



*MS642234CUFG (Elongated) - 1.0 GPF

*MS642234CEFG (Elongated) - 1.28 GPF



NEXUS[®]

MS642124CUF(G) (Elongated) - 1.0 GPF MS642124CEF(G) (Elongated) - 1.28 GPF SS124 seat included





AIMES *MS626234CEFG (Elongated) - 1.28 GPF SS234 seat included





AVAILABLE

COLORS



MS624124CEF(G) (Elongated) - 1.28 GPF

PROMENADE® II

MS814224CUF(G) (Elongated) - 1.0 GPF MS814224CEF(G) (Elongated) - 1.28 GPF SS224 seat included





AIMES[®] MS626124CEF(G) (Elongated) - 1.28 GPF SS124 seat included





LEGATO *MS624234CEFG (Elongated) - 1.28 GPF SS234 seat included Available in #01 only

*Available only in #01 Cotton

(G) Ebony #51 less CeFiONtect





WASHLET+

ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

#12 #01 Sedona Cotton Beige



Colonial White

#51

(R) Right-hand trip lever available Ebony For more information on dimensions please refer to product spec sheet.

ONE-PIECE TORNADO FLUSH TOILETS CONTINUED

ECO SOIRÉE®

 $MS964214CEF(G) \ (\text{Elongated}) \ \textbf{-1.28 GPF} \\ \text{SS214 seat included}$





CARLYLE* II MS614114CUF(R)(G) (Elongated) - 1.0 GPF MS614114CEF(R)(G) (Elongated) - 1.28 GPF SS114 seat included





CAROLINA® II MS644114CEF(G) (Elongated) - 1.28 GPF SS114 seat included





SUPREME* II MS634114CEF(G) (Elongated) - 1.28 GPF SS114 seat included

SOUS CALGreen



ULTRAMAX® II

MS604114CUF(R)(G) (Elongated) - 1.0 GPF MS604114CEF(R)(G) (Elongated) - 1.28 GPF SS114 seat included





TWO-PIECE TORNADO FLUSH TOILETS

NEW

DRAKE®

MS746124CUM(F)G (Elongated) - 1.0 GPF MS746124CEM(F)G (Elongated) - 1.28 GPF MS746124CSM(F)G (Elongated) - 1.6 GPF SS124 seat included

19 () 🖗 🗞 🕹 🛡 🔇 CAL Green



NEW DRAKE

CST746124CUM(F)(R)(G) (Elongated) - 1.0 GPF CST746124CEM(F)(R)(G) (Elongated) - 1.28 GPF CST746124CSM(F)(G) (Elongated) - 1.6 GPF Seat sold separately



NEXUS®

 $\begin{array}{l} MS642124CUF(G) \ (\text{Elongated}) \ \text{--} \ 1.0 \ \text{GPF} \\ MS642124CEF(G) \ (\text{Elongated}) \ \text{---} \ 1.28 \ \text{GPF} \\ \text{SS124 seat included} \end{array}$





TWO-PIECE TORNADO FLUSH TOILETS CONTINUED

AQUIA® IV

SS124 seat included

CONNELLY®

- 1.28 GPF/0.9 GPF

SS124 seat included

\$\$\$ & U \$ \$ \$ \$ \$

Regular height available

16 🗑 🗞 🕕 🔊 🚫 🛵 CAL Green

MS494124CEMF(G) (Elongated)

CALGreen

MS446124CUM(F)(G) (Elongated) - 1.0 GPF

MS446124CEM(F)(G) (Elongated) - 1.28 GPF

NEXUS®

*MS642234CUFG (Elongated) - 1.0 GPF *MS642234CEFG (Elongated) - 1.28 GPF SS234 seat included Available in #01 only





AQUIA IV CST446CUM(F)G (Elongated) - 1.0 GPF CST446CEM(F)G - 1.28 GPF Regular Height Available





CONNELLY CST494CEMF(R)(G) (Elongated) - 1.28 GPF/0.9 GPF





#01

Cotton

#12

Sedona

Beige

#03

Bone

AVAILABLE

COLORS



Colonial

White

DRAKE[®] II CST454CUF(R)(G) (Elongated) - 1.0 GPF CST454CEF(R)(G) (Elongated) - 1.28 GPF

#51





AQUIA® IV

SS234 seat included Available in #01 only 19 🗃 🗞 🕕 🗩 🚫 📥 CAL Green

*MS446234CUMFG (Elongated) - 1.0 GPF

*MS446234CEMFG (Elongated) - 1.28 GPF



CONNELLY *MS494234CEMFG (Elongated)

- 1.28 GPF/0.9 GPF SS234 seat included Available in #01 only





DRAKE II ROUND FRONT CST453CUF(R)(G) (Round) - 1.0 GPF CST453CEF(R)(G) (Round) - 1.28 GPF





*Available only in #01 Cotton Two-piece toilet seat sold separately (G) Ebony #51 less CeFiONtect (R) Right-hand trip lever available Ebony For more information on dimensions please refer to product spec sheet. ICONS

CHARTS

TECHNOLOGIES

TWO-PIECE TORNADO FLUSH TOILETS CONTINUED

VESPIN[®] II

CST474CUF(R)(G) (Elongated) - 1.0 GPF CST474CEF(R)(G) (Elongated) - 1.28 GPF 19 🗑 🗞 🕭 🛈 🔊 🚫 📥 CAL Green



PROMENADE II CST404CUF(G) (Elongated) - 1.0 GPF CST404CEF(G) (Elongated) - 1.28 GPF





MARIS[®] CST484CEMF(G) (Elongated) - 1.28 GPF/0.9 GPF





ONE-PIECE HIGH-EFFICIENCY TOILETS

ECO ULTRAMAX®

*MS854114E(L)(G) (Elongated) - 1.28 GPF *MS853113E (Round) - 1.28 GPF SS114 seat included (MS854114E(L)(G)) SS113 seat included (MS853113E) ADA height available (MS854114EL(G)) CeFiONtect available (MS854114EL(G)) Standard glazed model available





ULTIMATE®

MS854114 (Elongated) - 1.6 GPF MS853113 (Round) - 1.6 GPF SS114 seat included (MS854114) SS113 seat included (MS853113)











#0.3

Bone



TWO-PIECE HIGH-EFFICIENCY TOILETS

ECO DRAKE® TRANSITIONAL

**CST744EN(G) (Elongated) - 1.28 GPF CST743EN (Round) - 1.28 GPF ADA height available (CST744ELNG) Standard glazed model available





ECO DARTMOUTH® CST754EF (Elongated) - 1.28 GPF





ECO DRAKE

* **CST744E(R)(G) (Elongated) - 1.28 GPF *CST743E(R) (Round) - 1.28 GPF ADA height available (CST744ELG) Bolt-down tank lid available Standard glazed model available





ECO PROMENADE® *CST423EF(G) (Round) - 1.28 GPF Standard glazed model available





ECO CLAYTON® *CST784EF (Elongated) - 1.28 GPF



p



CHARTS

TECHNOLOGIES

Two-piece toilet seat sold separately *1.6 GPF version available (G) Ebony #51 less CeFiONtect (R) Right-hand trip lever available ** 10" Rough-in available ***Limited inventory. Availble while supplies last. #51 ***Limited inventory. Availble while supplies last. Ebony For more information on dimensions please refer to product spec sheet.











88 TOILET AND LAVATORY BROCHURE

WALL-HUNG TOILETS



SP WALL-HUNG TOILET; CWT449249CMFG

WALL-HUNG TOILETS

RP WALL-HUNG TOILET 1.28/0.9 GPF

CWT447247CMFG#WH Includes seat SS247, in-wall tank WT172M, and push plate YT930#WH Can be mounted at ADA height

🗑 🗞 🕕 🗐 🔇 🛵 CAL Green



SP WALL-HUNG TOILET 1.28/0.9 GPF

CWT449249CMFG#WH Includes seat SS249, in-wall tank WT172M, and push plate YT920#WH Can be mounted at ADA height





NEW

AP WALL-HUNG TOILET 1.28/0.9 GPF

CWT426CMFG#WH Includes in-wall tank WT172M, and push plate YT930#WH Can be mounted at ADA height





NEW

EP WALL-HUNG TOILET 1.28/0.9 GPF

CWT428CMFG#WH Includes in-wall tank WT172M, and push plate YT930#WH Can be mounted at ADA height





BASIC ROUND PUSH PLATE -DUAL BUTTON YT930#WH YT930#MS White Matte Matte Silver



DUOFIT® IN-WALL

2" x 6" installation 2" x 4" outlet kit available Push plates sold separately

TANK SYSTEM - 1.28/0.9 GPF WT172M (Exposed Water Outlet) WT173M(A) (Hidden Water Outlet)

тото

NEW

D+ U 🔇

WALL ROUND PUSH PLATE -DUAL BUTTON YT970#SS

Brushed Stainless Steel



BASIC SQUARE PUSH PLATE -DUAL BUTTON YT920#WH

YT920#MS White Matte Matte Silver



WALL SQUARE PUSH PLATE -DUAL BUTTON YT980#SS Brushed Stainless Steel

ICONS

CHARTS

TECHNOLOGIES

NEOREST



WALL-HUNG TOILETS

MH[®] WALL-HUNG TOILET; CT437FG

WALL-HUNG TOILETS

MH WALL-HUNG TOILET 1.28/0.9 GPF

CWT437117MFG#WH (D-shape) Includes seat SS117, in-wall tank WT172M, and push plate YT920#WH Can be mounted at ADA height

🗑 📎 🕕 🔊 🕥 🍐 CAL Green

AQUIA® WALL-HUNG TOILET 1.6/0.9 GPF

CWT418MFG#WH (Elongated) Includes in-wall tank WT171M and push plate YT920#WH Can be mounted at ADA height Seat sold separately



MARIS® WALL-HUNG TOILET 1.6/0.9 GPF

CWT486MFG#WH (Elongated) Includes in-wall tank WT171M and push plate YT920#WH Can be mounted at ADA height Seat sold separately





WALL SQUARE PUSH PLATE -

NEOREST

YT930#WH YT930#MS White Matte Matte Silver

DUAL BUTTON

BASIC ROUND PUSH PLATE -



DUOFIT® IN-WALL

2" x 4" outlet kit available

Push plates sold separately

2" x 6" installation

D+ U 🔇

TANK SYSTEM - 1.28/0.9 GPF

TOTO

WT172M (Copper supply line)

WALL ROUND PUSH PLATE -DUAL BUTTON YT970#SS Brushed Stainless Steel



BASIC SQUARE PUSH PLATE -DUAL BUTTON YT920#WH YT920#MS White Matte Matte Silver

DUAL BUTTON YT980#SS Brushed Stainless Steel

	-	

DUOFIT IN-WALL TANK SYSTEM - 1.6/0.9 GPF WT171M (Copper supply line) 2" x 6" installation 2" x 4" outlet kit available Push plates sold separately





#01 Cotton